

Canasil Resources Inc.

SALAMANDRA PROPERTY
Durango, Mexico

Drill Section SA-07-02, 06, 09


Zinc Histograms

Looking Northwest



| | | | |
|------------|-----------------|----------------|-------------------|
| Date | Apr 23, 2009 | Scale | 1:2,000 |
| Projection | UTM 13-NAD27mex | State/Province | Durango |
| Author | MJD | File | SAL09_DDhsections |

2a



LEGEND


- Mineralized vein
- Low-grade Zn-Ag mineralization range 0.5-1.5% Zn, 3-10 g/t Ag
- Overburden
- Main intrusive - rhyolite porphyry
- Low-grade Zn-Ag mineralization in rhyolite - quartz porphyry dyke
- Rhyolite - quartz porphyry dyke


Ag histograms **Composited interval interval (m) @ % Zn, g/t Ag**
 1cm = 20 g/t


0 20 40 60 100
metres


Canasil Resources Inc.
SALAMANDRA PROPERTY
 Durango, Mexico
Drill Section SA-07-03, 07, 08
Silver Histograms
 Looking Northwest

| | | | | | |
|--|------------|-----------------|----------------|-------------------|---------------------|
| | Date | Apr 23, 2009 | Scale | 1:2,000 | Figure 3b |
| | Projection | UTM 13-NAD27mex | State/Province | Durango | |
| | Author | MJD | File | SAL09_DDHsections | |









LEGEND

- Mineralized vein
- Low-grade Zn-Ag mineralization range 0.5-1.5% Zn, 3-10 g/t Ag
- Overburden
- Main intrusive - rhyolite porphyry
- Low-grade Zn-Ag mineralization in rhyolite - quartz porphyry dyke
- Rhyolite - quartz porphyry dyke

Ag histograms **Composited interval interval (m) @ % Zn, g/t Ag**
 1cm = 20 g/t


0 20 40 60 100
metres


Canasil Resources Inc.


SALAMANDRA PROPERTY
Durango, Mexico


Drill Section SA-07-05
Silver Histograms
Looking Northwest

| | | | | | |
|--|------------|-----------------|----------------|-------------------|---------------------|
| | Date | Apr 23, 2009 | Scale | 1:2,000 | Figure 5b |
| | Projection | UTM 13-NAD27mex | State/Province | Durango | |
| | Author | MJD | File | SAL09_DDHsections | |









LEGEND

- Mineralized vein
- Low-grade Zn-Ag mineralization range 0.5-1.5% Zn, 3-10 g/t Ag
- Overburden
- Main intrusive - rhyolite porphyry
- Low-grade Zn-Ag mineralization in rhyolite - quartz porphyry dyke
- Rhyolite - quartz porphyry dyke


Ag histograms **Composited interval interval (m) @ % Zn, g/t Ag**
 1cm = 20 g/t

Canasil Resources Inc.

SALAMANDRA PROPERTY
Durango, Mexico

Drill Section SA-07-11
Silver Histograms
Looking Northwest

| | | | | | |
|--|------------|-----------------|----------------|-------------------|---------------------|
| | Date | Apr 23, 2009 | Scale | 1:2,000 | Figure 7b |
| | Projection | UTM 13-NAD27mex | State/Province | Durango | |
| | Author | MJD | File | SAL09_DDHsections | |



LEGEND

- Mineralized vein
- Low-grade Zn-Ag mineralization range 0.5-1.5% Zn, 3-10 g/t Ag
- Overburden
- Main intrusive - rhyolite porphyry
- Low-grade Zn-Ag mineralization in rhyolite - quartz porphyry dyke
- Rhyolite - quartz porphyry dyke

Zn histograms **Composited interval interval (m) @ % Zn, g/t Ag**
 1cm = 5%

0 20 40 60 100
metres

Canasil Resources Inc.

SALAMANDRA PROPERTY
Durango, Mexico

Drill Section SA-07-11
Zinc Histograms
Looking Northwest

| | | | | | |
|--|------------|-----------------|----------------|------------------|---------------------|
| | Date | Apr 23, 2009 | Scale | 1:2,000 | Figure 7a |
| | Projection | UTM 13-NAD27mex | State/Province | Durango | |
| | Author | MJD | File | SAL09_DDsections | |

